

Držáky hydraulických trubek











RAPR – lehká řada – 1 trubka

DIN 3015 Teil 1

velikost přichytky	□ trubky mm	1 ks 2 poloviny přichytky RAPR	RAPR				návarná deska APK - A	APK - A	
			b	c	d	e		d	e
0	6	RAPR-006	28	27	-	13,5	APK-A 0	-	30
	6,4	RAPR-006,4							
	8	RAPR-008							
	9,5	RAPR-009,5							
	10	RAPR-010							
	12	RAPR-012							
1	6	RAPR-106	34	27	20	13,5	APK-A 1	20	36
	6,4	RAPR-106,4							
	8	RAPR-108							
	9,5	RAPR-109,5							
	10	RAPR-110							
	12	RAPR-112							
2	12,7	RAPR-212,7	40	33	26	16,5	APK-A 2	26	42
	13,5	RAPR-213,5							
	14	RAPR-214							
	15	RAPR-215							
	16	RAPR-216							
	17,2	RAPR-217,2							
3	18	RAPR-218	48	35	33	17,5	APK-A 3	33	50
	19	RAPR-319							
	20	RAPR-320							
	21,3	RAPR-321,3							
	22	RAPR-322							
	23	RAPR-323							
4	25	RAPR-325	57	42	40	21	APK-A 4	40	59
	26,9	RAPR-426,9							
	28	RAPR-428							
	30	RAPR-430							
5	32	RAPR-532	70	58	52	29	APK-A 5	52	72
	33,7	RAPR-533,7							
	35	RAPR-535							
	38	RAPR-538							
	40	RAPR-540							
	42	RAPR-542							
6	44,5	RAPR-644,5	86	66	66	33	APK-A 6	66	88
	45	RAPR-645							
	48	RAPR-648							
	50	RAPR-650							
	50,8	RAPR-650,8							
	52	RAPR-652							
	55	RAPR-655							
	57	RAPR-657							

RAPR – lehká řada – 1 trubka

DIN 3015 Teil 1

velikost přichytky	 velikost 0  velikost 1- 6	 velikost 0  velikost 1- 6						
	krycí deska DP - A	DP – A b d	šroub s válcovou hlavou SL - A	SL – A d x L	šroub se šestihran- nou hlavou SSL - A	SSL – A d x L	šroub s válc.hlavou s vnitřním šestihranem IS - A	IS – A d x L
0	DP-A 0	- -	SL-A 0	M 6 x 20	SSL-A 0/1	M 6 x 30	IS-A0	M 6 x 20
1	DP-A 1	34 20	SL-A 1	M 6 x 20	SSL-A 0/1	M 6 x 30	IS-A 1	M 6 x 20
2	DP-A 2	40 26	SL-A 2	M 6 x 25	SSL-A 2 (/C D 1)	M 6 x 35	IS-A2	M 6 x 25
3	DP-A 3	48 33	SL-A 3	M 6 x 30	SSL-A 3	M6x40	IS-A3	M 6 x 30
4	DP-A 4	57 40	SL-A 4	M 6 x 35	SSL-A 4	M 6 x 45	IS-A4 (/C D 1)	M 6 x 35
5	DP-A 5	70 52	SL-A 5	M 6 x 50	SSL-A 5	M 6 x 60	IS-A5	M 6 x 50
6	DP-A 6	86 66	SL-A 6	M 6 x 60	SSL-A 6	M 6 x 70	IS-A6	M 6 x 60







RBPR – lehká řada – 2 trubky

DIN 3015 Teil 3

velikost přichytky	□ trubky mm	1 ks 2 poloviny přichytky RBPR	RBPR				návarná deska	AP– B	
			b	c	d	e	AP - B	g	m
1	6	RBPR-106	36	27	20	13,5	AP-B 1	37	M6
	6,4	RBPR-106,4							
	8	RBPR-108							
	9,5	RBPR-109,5							
	10	RBPR-110							
	12	RBPR-112							
2	12,7	RBPR-212,7	53	26	29	13	AP-B 2	55	M8
	13,5	RBPR-213,5							
	14	RBPR-214							
	15	RBPR-215							
	16	RBPR-216							
	17,2	RBPR-217,2							
3	19	RBPR-319	67	37	36	18,5	AP-B 3	70	M8
	20	RBPR-320							
	21,3	RBPR-321,3							
	22	RBPR-322							
	25	RBPR-325							
4	26,9	RBPR-426,9	82	42	45	21	AP-B 4	85	M8
	28	RBPR-428							
	30	RBPR-430							
5	32	RBPR-532	106	54	56	27	AP-B 5	110	M8
	33,7	RBPR-533,7							
	35	RBPR-535							
	38	RBPR-538							
	42	RBPR-542							

RBPR – lehká řada – 2 trubky

DIN 3015 Teil 1

						
velikost přichytky	krycí deska DP - B	DP - B b d	šroub se šesti- hrannou hlavou SSL - B	SSL - B d x L	šroub s válč.hla- vou s vnitřním šestihranem IS - B	IS - B d x L
1	DP-B 1	34 6,6	SS-B 1 (SSLA 2)	M 6 x 35	IS-B 1 <i>(1/8" Δ 1)</i>	M 6 x 35
2	DP-B 2	51 8,6	SS-B 2	M 8 x 35	IS-B2	M 8 x 35
3	DP-B 3	64 8,6	SS-B 3	M 8 x 45	IS-B3	M 8 x 45
4	DP-B 4	78 8,6	SS-B 4	M 8 x 50	IS-B4	M 8 x 50
5	DP-B 5	102 8,6	SS-B 5	M 8 x 60	IS-B5	M 8 x 60

RCPR – těžká řada – 1 trubka

DIN 3015 Teil 2

velikost přičytky	□ trubky mm	1 ks 2 poloviný přičytky RCPR	RCPR					návarná deska	AP – C					
			b	c	d	e	f	AP - C	d	f	g	i	m	
1	6	RCPR-106												
	8	RCPR-108												
	10	RCPR-110												
	12	RCPR-112												
	12,7	RCPR-112,7												
	13,5	RCPR-113,5	55	32	33	16	30	AP-C 1	33	30	73	8	M10	
	14	RCPR-114												
	15	RCPR-115												
	16	RCPR-116												
	17,2	RCPR-117,2												
18	RCPR-118													
2	19	RCPR-219												
	20	RCPR-220												
	21,3	RCPR-221,3												
	22	RCPR-222												
	23	RCPR-223	70	48	45	24	30	AP-C 2	45	30	85	8	M10	
	25	RCPR-225												
	26,9	RCPR-226,9												
28	RCPR-228													
30	RCPR-230													
3	30	RCPR-330												
	32	RCPR-332												
	33,7	RCPR-333,7												
	35	RCPR-335	85	60	60	30	30	AP-C 3	60	30	100	8	M10	
	38	RCPR-338												
	40	RCPR-340												
42	RCPR-342													
4	38	RCPR-438												
	40	RCPR-440												
	42	RCPR-442												
	45	RCPR-445												
	48,3	RCPR-448,3												
	50	RCPR-450												
	51	RCPR-451	115	90	90	45	45	AP-C 4	90	45	140	10	M12	
	52	RCPR-452												
	55	RCPR-455												
	57	RCPR-457												
	60,3	RCPR-460,3												
	63	RCPR-463												
65	RCPR-465													
70	RCPR-470													
5	70	RCPR-570												
	73	RCPR-573												
	75	RCPR-575												
	76,1	RCPR-576,1	152	120	122	60	60	AP-C 5	122	60	180	10	M16	
	80	RCPR-580												
	82,5	RCPR-582,5												
	88,9	RCPR-588,9												
	90	RCPR-590												

RCPR – těžká řada – 1 trubka

DIN 3015 Teil 2

velikost přichytky	krycí deska DP - C	DP - C					šroub se šesti- hrannou hlavou SS - C	SS - C d x L	šroub s válc.hla- vou s vnitřním šestihranem IS - C	IS - C d x L
		b	d	f	i	m				
1	DP-C 1	55	33	30	8	11	SS-C 1	M 10 x 45	IS-C 1	M 10 x 45
2	DP-C 2	70	45	30	8	11	SS-C 2	M 10 x 60	IS-C2	M 10 x 60
3	DP-C 3	85	65	30	8	11	SS-C 3	M 10 x 70	IS-C3	M 10 x 70
4	DP-C 4	115	90	45	10	14	SS-C 4	M 12 x 100	IS-C4	M 12 x 100
5	DP-C 5	152	122	60	10	18	SS-C 5	M 16 x 130	IS-C5	M 16 x 130

